

LITERATURE CITED



Aldous, C.M. 1945. A Winter Study of Mule Deer in Nevada. *Journal of Wildlife Management*. 9:145-151.

Basile, J.V. and S.S. Hutchings. 1966. Twig Diameter-Length-Weight Relations of Bitterbrush. *Journal of Range Management*. 19:34-38.

Canfield, R.H. 1941. Application of The Line Interception Method in Sampling Range. Vegetation. *Journal of Forestry*. 39:388-394.

Canfield, R.H. 1942. Sampling Ranges by The Line Interception Method-Plant Cover Composition Density-Degree of Forage Use. USDA Forest Service Research Report. Southwestern Forest & Range Experiment Station. 28 pages.

Cole, G.F. 1958. Range Survey Guide. Montana Fish and Game Dept., Helena. 22 pages. (Booklet)

Cole, G.F. 1959. Key Browse Survey Method. Association of State Game and Fish Commisioners. 39:181-186.

Dasmann, W. P. 1951. Some Deer Range Survey Methods. *California Fish and Game*. 37:43-52.

Dasmann, W.P. 1948. A Critical Review of Range Survey Methods and Their Application to Deer Range Management. *California Fish and Game*. 34:180-207.

Daubenmire, R. A. 1959. Canopy Coverage Method of Vegetational Analysis. *Northwest Science*. 33:43-64.

Floyd, D.A. and J.E. Anderson. 1987. A Comparison of Three Methods for Estimating Plant Cover. *Journal of Ecology*. 75:221-228.

Fraas, W.W. 1992. Bitterbrush Growth and Reproductive Characters. Unpublished Masters Thesis, Montana State University, Department of Animal and Range Sciences. 137 pages.

Garrison, G.A. 1952. Annual Fluctuation in Production of Some Eastern Oregon and Washington Shrubs. *Journal of Range Management*. 6:117-121.

Garrison, G. A. 1953. Effects of Clipping on Some Range Shrubs. *Journal of Range Management*. 6:309-317.

Hanley, T.A. 1978. A Comparison of The Line Interception and Quadrant Estimation Methods of Determining Shrub Canopy Coverage. *Journal of Range Management*. 31:60-65.

Hormay, A.L. 1943. Bitterbrush in California. USDA Forest Service. California Forest and Range Experiment Station. Research Note 34. Berkely.

Hormay, A.L. 1949. Getting Better Records of Vegetation Changes With The Line Interception Method. *Journal of Range Management*. 2:67-69.

Hutchings, S.S. and R.C. Holmgren. 1959. Interpretation of Loop-Frequency Data As A Measure of Plant Cover. *Ecology*. 40:675-677.

Jensen, C.H. and G.W. Scotter. 1977. A Comparison of Twig-Length and Browsed-Twig Methods of Determining Browse Utilization. *Journal of Range Management*. 30:64-67.

Jensen, C.H. and P.J. Urness. 1981. Establishing Browse Utilization From Twig Diameters. *Journal of Range Management*. 34:113-116.

Julander, O. 1937. Utilization of Browse by Wildlife. *Transactions 2nd. North American Wildlife Conference*, pages 277-285.

Keigley, R.B. 1997. A Growth Form Method for Describing Browse Condition. *Rangelands*. 19:26-29.

Lay, D.W. 1965. Effects of Periodic Clipping on Yield of Some Common Browse Species. *Journal of Range Management*. 18:181-184.

Laycock, W. A. 1965. Adaptation of Distance Measurements for Range Sampling. *Journal of Range Management*. 18:205-211.

Locke, S.B. 1930. The Study of Big Game Ranges. *Ecology*. 11:770.

Lyon, L.J. 1968. An Evaluation of Density Sampling Methods in A Shrub Community. *Journal of Range Management*. 21:16-20.

Lyon, L.J. 1968. Estimating Twig Production of Service Berry From Crown Volumes. *Journal of Wildlife Management*. 32:115-119.

Mackie, R. J. 1972. Statewide Big Game Range Research, Evaluation of Browse Survey Transects, Browse Ecology-Big Game Relationships. Montana Fish & Game Federal Aid Job Progress Report w-20-R-2, Study No. 28.01, Job No. 2.01-2.02. 16 pages.

Mackie, R.J. 1974. Statewide Big Game Range Research, Evaluation of Range Survey Methods, Concepts, and Criteria (Applications of the Key Browse Utilization Condition and Trend Survey Method in Montana, 1957-1971, and Description of Existing Survey Transects). Montana Fish & Game Department Federal Aid Job Progress Report. Project W-120-R-5, Study No. 28.01, Job No. BG-2.01. 52 pages

Mackie, R .J. and T. N. Lonner. 1977. Evaluation of Effectiveness of the Key Browse Survey Method. *Proceedings of the Sixth Wyoming Shrub Ecology Workshop*. Buffalo, WY. pages 9-24.

Martinsen, C.F. 1960. The Effects of Summer Utilization of Bitterbrush in Northcentral Washington. Master's Thesis, University of Idaho, Coeur d'Alene.

Nelson, E.W. 1930. Methods of Studying Shrubby Plants in Relation to Grazing. *Ecology*. 11:764-767.

Parker, K.W. and R.W. Harris. 1959. The 3-Step Method For Measuring Condition and Trend of Forest Ranges: A Resume of it's History Development and Use. In: Techniques and Methods of Measuring Understory Vegetation. Proceedings of a Symposium at Tifton, Georgia, October 1958. USFS, Southern and Southeastern Forest Experiment Station. 17 pages.

Patton, D. R. and J. M. Hall. 1966. Evaluating Key Browse by Age and Form Class. *Journal of Wildlife Management*. 30:476-480.

Provenza, F.D. and P.J. Urness. 1981. Diameter - Length - Weight Relations For Blackbrush (*Coleogyne ramosissima*). *Journal of Range Management*. 34:215-217.

Rayburn, H. Jr. and F.S. Barkalow Jr. 1973. Seasonal Deer Browse Preference for Tupelo and Green Ash. *Journal of Forestry*. 71:31-33.

Rittenhouse, L.R. and F.A. Sneva. 1977. A Technique for Estimating Big Sagebrush Production. *Journal of Range Management*. 30:68-70.

Rumble, M.A. 1985 Using Twig Diameters to Estimate Browse Utilization on Three Shrub Species in Southeastern Montana. Paper presented at the Symposium on Plant Herbivore Interactions. Snowbird, Utah. pages 172-175.

Ruyle, G.B., J.E. Bowns, and A.F. Schlundt. 1983. Estimating Snowberry (*Symphoricarpos oreophilus*) Utilization by Sheep from Twig Diameter-Weight Relations. *Journal of Range Management*. 36:472-474.

Schumtz, E.M. 1983. Browse-Class Method of Estimating Shrub Utilization. *Journal of Range Management*. 36:632-637.

Schuster, J.L. 1965. Estimating Browse Use From Twig and Stem Measurements. *Journal of Range Management*. 18:220-222.

Sharp, L.A. 1954. Evaluation of The Loop Procedure of The 3-Step Method in The Salt Desert Shrub Type of Southern Idaho. *Journal of Range Management*. 7:83-88.

Shepherd, H.R. 1971. Effects of Clipping on Key Browse Species in Southwestern Colorado. Colorado Game, Fish, and Parks Division, GFP-R-T-28. Denver.

Smith, A.D. and P.J. Urness. 1962. Analysis of The Twig Length Method of Determining Utilization of Browse. Utah Department of Fish & Game Publication 62-9.

Snyder, N. and P.R. South. no date. The 13 Foot Browse Survey. Modified from The Northern Region, USDA Forest Service, Wildlife Surveys Handbook. 14 pages.

Steinhoff, H.W. 1959. Some Effects of Clipping Bitterbrush at Different Intensities. Transactions Fourth Annual Summer Conference Central Mountain and Plains Section Wildlife Society. pages 23-24.

Springfield, H.W. 1974. Using A Grid to Estimate Production and Utilization of Shrubs. *Journal of Range Management*. 27:76-78.

Stickney, P.F. 1966. Browse Utilization Based on Percentage of Twigs Browsed. *Journal of Wildlife Management*. 30:204-206.

USDA Forest Service. 1992. *Ecosystem Inventory and Analysis Guide*.

Wallmo, O.C., L.H. Carpenter, W.L. Regelin, R.B. Gill, and D.L. Baker. 1977. Evaluation of Deer Habitat on a Nutritional Basis. *Journal of Range Management*. 30:122-127.

Weaver, J.E. and F.E. Clements. 1929. *Plant Ecology*. 1st Edition. McGraw Hill Book Company, Inc. New York and London. 520 pages.